



FY2024 SDS Binder

Section 53

Oatey Silicone Sealant – White or Clear

Page Intentionally Left Blank



SAFETY DATA SHEET

1. Identification

Product identifier	Oatey Silicone Sealant – White or Clear
Other means of identification	
Product code	
Synonyms	Part Numbers: Clear – 30236, White - 30237
Recommended use	Sealant for use around tubs, sinks and other plumbing applications.
Recommended restrictions	Do not use on applications where product will be submerged under water.
Manufacturer/Importer/Supplier/Distributor information	
Company Name	Oatey Inc.
Address	4700 West 160th Street Cleveland, OH 44135
Telephone	216-267-7100
E-mail	info@oatey.com
Transport Emergency	Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)
Emergency First Aid	1-877-740-5015
Contact person	MSDS Coordinator

2. Hazard(s) identification

Physical hazards	Not Classified.
Health hazards	Not Classified.
OSHA defined hazards	Not Classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	This product was determined to be non-hazardous.
Precautionary statement	
Prevention	Use outdoors or in a well ventilated area.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Silicon Dioxide	7631-86-9	5 - 10
Distillates (petroleum), hydrotreated middle	64742-46-7	5 - 10
Titanium Dioxide (White Sealant Only)	13463-67-7	0 – 5
Dimethyl siloxane, hydroxyl terminated	70131-67-8	70 - 90

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
-------------------	---

Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Ingestion	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Skin or eye irritation.
Indication of immediate medical attention and special treatment needed.	Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
General information	Note to physician, treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media	Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	water jet
Specific hazards arising from the chemical	No specific fire or explosion hazard.
Special protective equipment and precautions for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Fire fighting equipment/instructions	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Specific methods	None
General fire hazards	None

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Methods and materials for containment and cleaning up	Large Spills: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal. Small Spills: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

7. Handling and storage

Precautions for safe handling	Put on appropriate personal protective equipment (see section 8 of SDS). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid

environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Petroleum Distillate	TWA	5 mg/m ³
Titanium Dioxide	TWA	10 mg/m ³

US OSHA Permissible Exposure Limits

Components	Type	Value
Petroleum Distillate	TWA	5 mg/m ³
Titanium Dioxide	TWA	15 mg/m ³
Silicone Dioxide	TWA	80 mg/m ³

Biological limit values

No Biological limits.

Appropriate engineering controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Thermal hazards

None.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Paste
Color	White or translucent.
Odor	Acetic acid/vinegar smell
Odor threshold	Not available.
pH	Not applicable.
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	Not determined
Flash point	> 199 °F (> 93.3 °C)
Upper/lower flammability or explosive limits	
Flammability limit – lower (%)	Not available
Flammability limit – upper (%)	Not available
Explosive limit - lower (%)	Not available
Explosive limit - upper (%)	Not available
Vapor pressure	Not applicable

Vapor density	Not applicable
Relative density	1.04 – 1.09
Solubility(ies)	
Solubility (water)	Not available
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Other information	
VOC (Weight %)	28 g/L (< 3.0% by weight)

10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	The product is stable.
Possibility of hazardous reaction	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Acute Toxicity estimates: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation.
Skin contact	No known significant effects or critical hazards.
Eye contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Symptoms related to the physical, chemical and toxicological characteristics	No specific data.

Information on likely routes of exposure

Acute Toxicity

Components	Species	Results
Silicone Dioxide		
Acute Oral Toxicity	Rat LD(50)	3,300 mg/kg
Acute Inhalation Toxicity	Rat LD(50)	2.08 mg/l
Distillates (petroleum)		

Skin corrosion/irritation	Not determined.
Serious eye damage/eye irritation	Not determined.
Respiratory or skin sensitization	
Respiratory sensitization	Not considered a respiratory irritant
Skin sensitization	This product is not expected to cause skin irritation.
Germ cell mutagenicity	No specific data
Carcinogenicity	Sufficient evidence of carcinogenicity in inhalation studies with animals for titanium dioxide exist. However, due to the titanium dioxide being inextricably bound in the silicone matrix, the likelihood of exposure is minimal.
IARC	Titanium Dioxide – 13463-67-7 Group 2B: Possibly carcinogenic to humans.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino- gen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino- gen by OSHA.

Reproductive toxicity No known significant effects or critical hazards.
Specific target organ toxicity
Single exposure Not Classified.
Repeated exposure Not Classified.
Aspiration Hazard Contains Distillates (petroleum), hydrotreated – Which is a category 1 Aspiration Hazard. The likely hood of aspirating the product in this form is very low due to the high viscosity.
Chronic effects Not Classified.

Further information

12. Ecological information

Ecotoxicity

Product/ingredient name	Results	Species	Exposure
Petroleum Distillates	Acute LC50 2,900 µg/l Fresh water	Fish - Rainbow trout,Donaldson trout	96 h
	Acute LC50 2,200 µg/l Fresh water	Fish - Bluegill	96 h

Persistence and degradability Not Available.
Bio accumulative potential Not Available.
Mobility in soil Not available.
Other adverse effects No known significant effects of critical hazards.

13. Disposal considerations

Disposal instructions The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Local disposal regulations Not Applicable
Hazardous waste code Not Applicable

14. Transportation information

DOT Not Regulated
UN number
UN Proper Shipping Name
Transportation Hazard classes
Packing group

IATA Not Regulated
UN number
UN Proper Shipping Name
Transportation Hazard classes
Packing group

IMDG Not Regulated
UN number
UN Proper Shipping Name
Transportation Hazard classes
Packing group
Environmental hazards

Marine pollutant

15. Regulatory information

U.S. Federal regulations TSCA 12(b) - **Chemical export notification:** None required.
 TSCA 5(a)2 - **Final significant new use rules:** Not listed
 TSCA 5(a)2 - **Proposed significant new use rules:** Not listed
 TSCA 5(e) - **Substances consent order:** Not listed

SARA 311/312

Classification Not applicable

US state regulations
California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Canada

WHMIS (Canada) Not classified.

International regulations

Country(s) or region	Inventory Name	On inventory list (yes/no)*
Canada	DSL/NDSL	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA 8b)	Yes

16. Other information, including date of preparation or last revision

Issue Date 12-May-2015

Revision Date -

Version # 01

HMIS Rating Health: 1
 Flammability: 1
 Physical Hazards: 0

Disclaimer Oatey Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.