



FY2024 SDS Binder

Section 22

Gasoil Dark Cutting Oil

Page Intentionally Left Blank

Gasoil® Dark Cutting Oil.

Precautionary Statements:

Prevention: Not expected to be present a hazard during normal use.

Response:

P301 + P311 + P331 – IF SWALLOWED: Call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
 P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313–If eye irritation persists: Get medical advice/attention.

Disposal: P501 - Dispose of contents/container to an approved waste disposal plant.

Other Hazards: None known.

Unknown Acute Toxicity: 2% of the mixture consists of ingredient(s) of unknown toxicity.

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Highly Refined Petroleum oil	64742-53-6	60-99

Section 4. FIRST AID MEASURES

First Aid Measures:

Eye Contact: Rinse thoroughly with plenty of water, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

Skin Contact: If skin irritation occurs, rinse affected area with water. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation: Remove to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

Ingestion Gasoil® Dark Cutting Oil.
 Do NOT induce vomiting Get medical attention immediately. Rinse mouth with water. Never give anything by mouth to an unconscious individual.

Most Important Symptoms and effects:

Symptoms Direct contact with eyes may cause temporary irritation.
 Do NOT ingest.

Section 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use foam, dry chemical, carbon dioxide or water fog.

Unsuitable Extinguishing Media: Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical:
Carbon oxides expected to be the primary hazardous combustion product.

Protective Equipment and Precautions for Firefighters:
As in any fire, wear self-contained breathing apparatus and other protective clothing. (approved or equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Personal Precautions: Use personal protective equipment as required. Keep unnecessary personnel away.

Methods and Material for Containment and Cleaning Up:

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Keep in suitable, closed containers for disposal.

Section 7. HANDLING AND STORAGE

Precautions for Safe Handling:

Advice on Safe Handling: Avoid breathing vapors or mists. Contaminated work-clothing should not be allowed out of the workplace.

Conditions for Safe Storage, including

Gasoil® Dark Cutting Oil.

Any Incompatibilities:

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.
Do not store near heat, sparks, or open flames.
KEEP OUT OF REACH OF CHILDREN.

Incompatible Materials: None known based on information supplied.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Chemical Name	ACGIH TWA	ACGIH STEL	OSHA TWA
Highly Refined Petroleum oil (CAS 64742-53-6)	5 mg/m ³	N/A	5 mg/m ³

Appropriate Engineering Controls:

Engineering Controls: Apply technical measures to comply with the occupational exposure limits.

Individual Protection Measures, such as
Personal Protective Equipment:

Eye/Face Protection: Avoid contact with eyes.

Skin and Body Protection: No protective equipment is needed under normal use conditions.

Respiratory Protection: Ensure adequate ventilation, especially in confined areas. If confined in poorly ventilated areas use NIOSH/MSHA

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash exposed areas thoroughly before eating, drinking, smoking or leaving work area. Launder contaminated clothing before reusing.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State:	Liquid.	Odor:	Mild.
Appearance:	Light.	Odor Threshold:	Not available.
Color:	Amber		

<u>Property</u>	<u>Values</u>
pH	N/A

Gasoil® Dark Cutting Oil.

Melting Point/Freezing Point	Not determined.
Boiling Point/Boiling Range	Not determined.
Flash Point	>400F (>205C) Closed Cup.
Evaporation Rate	Not determined.
Flammability (Solid, Gas)	n/a-liquid
Upper Flammability Limit	Not determined.
Lower Flammability Limit	Not determined.
Vapor Pressure	Not determined.
Vapor Density	Not determined.
Specific Gravity	Not determined.
Water Solubility	None.
Solubility in other Solvents	Not determined.
Partition Coefficient (n-octanol/water)	Not determined.
Auto-ignition Temperature	Not determined.
Decomposition Temperature	Not determined.
Kinematic Viscosity	Not determined.
Explosive Properties	Not determined.
Oxidizing Properties	Not determined.

Section 10. STABILITY AND REACTIVITY

<u>Reactivity:</u>	Not reactive under normal conditions.
<u>Chemical Stability:</u>	Stable under recommended storage conditions.
<u>Possibility of Hazardous Reactions:</u>	None under normal processing.
<u>Conditions to Avoid:</u>	Keep out of reach of children.
<u>Incompatible Materials:</u>	None known.
<u>Hazardous Decomposition Products:</u>	Oxides of carbon.

Section 11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure:

Gasoil® Dark Cutting Oil.

Eye Contact: Causes serious eye irritation.

Skin Contact: May cause an allergic skin reaction.

Inhalation: Not considered to be an inhalation hazard.

Ingestion: Do not taste or swallow.

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Highly Refined Petroleum oil (CAS 64742-53-6)	>5,000 mg/kg (Rat)	N/A	N/A

Information on physical, chemical and toxicological effects:

Symptoms: Please section 4 of this SDS for symptoms.

Delayed and Immediate Effects as Well as Chronic Effects From Short and Long Term Exposure:

Sensitization: May cause an allergic skin reaction.

Carcinogenicity: Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Highly Refined Petroleum oil (CAS 64742-53-6)	Group A4 Not classifiable as a carcinogen.	3 Not classifiable as a carcinogen.	No Data	No Data

Legend
 IARC (International Agency for Research on Cancer).
 Group 3 IARC components are “not classifiable as human carcinogens”.
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

Numerical Measures of Toxicity:

Not Determined.

Section 12. ECOLOGICAL INFORMATION

Gasoil® Dark Cutting Oil.

Ecotoxicity:

Toxic to aquatic life with lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Highly Refined Petroleum oil (64742-53-6)	N/D	N/D	Expected to be non-toxic. LL/EL/IL50 >100 mg/L	N/D

Persistence/Degradability: Not determined.

Bioaccumulation: Not determined.

Mobility: Not determined.

Other Adverse Effects: Not determined.

Section 13. DISPOSAL CONSIDERATIONS

Waste Treatment Method:

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. TRANSPORT INFORMATION

DOT: Not Regulated

PROPER SHIPPING NAME: N/A.

IDENTIFICATION NUMBER: N/A

IATA: Not regulated

IMDG: Not regulated..

Gasoil® Light Cutting Oil.

Section 15. REGULATORY INFORMATION

International Inventories: Not determined.

U.S. Federal Regulations: Not determined.

Petroleum oil SARA 313: N/A

TSCA Inventory: Yes

U.S Right-to-Know Regulations: Not determined.

Section 16. OTHER INFORMATION

NFPA:	Health Hazards 1	Flammability 1	Instability 0	Special Hazards Not determined
HMIS	Health Hazards 1	Flammability 1	Instability 0	Special Hazards Not determined

Issue Date: 1st March 2014

Revision Date: 6th March, 2018.

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet